

a **dicor** company

## Safety Data Sheet acc. to OSHA HCS

Printing Date 05/06/2015

\*

\*

**Revision Number 4** 

Revision Date 05/06/2015

I Identific	ation
· Product ic	lentifier
• <u>Part N</u> um	<u>ber: 505LSD</u>
	mber: 12724 dentified uses of the substance or mixture. Sealant
· Manufact	the supplier of the safety data sheet urer/Supplier:
Dicor Cor 2965 LaV	
Elkhart IN	
	on Phone Number: 574-264-2699
• Informati	on department: Environment protection department.
2 Hazard(	s) identification
· Classifica	tion of the substance or mixture
	GHS02 Flame
Flam. Lia	2 H225 Highly flammable liquid and vapor.
	GHS07
STOT SE .	3 H336 May cause drowsiness or dizziness.
· Label elen · GHS labe · Hazard pi	l elements The product is classified and labeled according to the Globally Harmonized System (GHS).
$\checkmark$	
GHS02	GHS07
· Signal wo	
· Hazard st	
	mmable liquid and vapor. e drowsiness or dizziness.
•	nary statements
	advice is needed, have product container or label at hand.
Keep out o	of reach of children.
	l before use.
	y from heat/sparks/open flames/hot surfaces No smoking.
	ective gloves/protective clothing/eye protection/face protection.
	autionary measures against static discharge. IN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	ED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	(Contd. on page

Revision Date 05/06/2015

Printing Date 05/06/2015

Revision Number 4

#### Part Number: 505LSD

\*

\*

\*

Call a poison center/doctor if you feel unwell.	Contd. of page 1)
In case of fire: Use for extinction: CO2, powder or water spray. Store locked up. Store in a well wantilated place. Keen container tighthy closed	
Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.	
Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = 3 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH1Health = 1FIRE3Fire = 3	
$\begin{array}{c} \text{PHYSICAL HAZARD} \\ \hline \end{array} \begin{array}{c} \text{PHYSICAL HAZARD} \\ \hline \end{array} \end{array} \begin{array}{c} \text{Physical Hazard} = 0 \end{array}$	
· Other hazards Regulta of PPT and vPvP assessment	
• Results of PBT and vPvB assessment PBT: Not applicable	
• <b>PBT:</b> Not applicable. • <b>vPvB:</b> Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Mixtures     Description: Mixture	
· Hazardous components:	
64742-89-8 Solvent naphtha (petroleum), light aliph.(VM&P)	25-50%
4 First-aid measures	
· Description of first aid measures	
· After inhalation:	
Supply fresh air or oxygen; call for doctor.	
Supply fresh air or oxygen; call for doctor. In case of unconsciousness place patient stably in side position for transportation.	
Supply fresh air or oxygen; call for doctor. In case of unconsciousness place patient stably in side position for transportation. • <b>After skin contact:</b> Immediately wash with water and soap and rinse thoroughly.	
Supply fresh air or oxygen; call for doctor. In case of unconsciousness place patient stably in side position for transportation. • After skin contact: Immediately wash with water and soap and rinse thoroughly. • After eye contact:	nent.
Supply fresh air or oxygen; call for doctor. In case of unconsciousness place patient stably in side position for transportation. • After skin contact: Immediately wash with water and soap and rinse thoroughly. • After eye contact: Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treats • After swallowing: Seek immediate medical advice.	nent.
Supply fresh air or oxygen; call for doctor. In case of unconsciousness place patient stably in side position for transportation. • After skin contact: Immediately wash with water and soap and rinse thoroughly. • After eye contact: Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatn • After swallowing: Seek immediate medical advice. • Information for doctor:	
<ul> <li>Supply fresh air or oxygen; call for doctor.</li> <li>In case of unconsciousness place patient stably in side position for transportation.</li> <li>After skin contact: Immediately wash with water and soap and rinse thoroughly.</li> <li>After eye contact:</li> <li>Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatn</li> <li>After swallowing: Seek immediate medical advice.</li> <li>Information for doctor:</li> <li>Most important symptoms and effects, both acute and delayed No further relevant information avai</li> </ul>	
<ul> <li>Supply fresh air or oxygen; call for doctor.</li> <li>In case of unconsciousness place patient stably in side position for transportation.</li> <li>After skin contact: Immediately wash with water and soap and rinse thoroughly.</li> <li>After eye contact:</li> <li>Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatm</li> <li>After swallowing: Seek immediate medical advice.</li> <li>Information for doctor:</li> <li>Most important symptoms and effects, both acute and delayed No further relevant information avai</li> <li>Indication of any immediate medical attention and special treatment needed</li> </ul>	
<ul> <li>Supply fresh air or oxygen; call for doctor.</li> <li>In case of unconsciousness place patient stably in side position for transportation.</li> <li>After skin contact: Immediately wash with water and soap and rinse thoroughly.</li> <li>After eye contact:</li> <li>Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treath</li> <li>After swallowing: Seek immediate medical advice.</li> <li>Information for doctor:</li> <li>Most important symptoms and effects, both acute and delayed No further relevant information avai</li> </ul>	

# **5** Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

(Contd. on page 3)

USA

Revision Date 05/06/2015

Part Number: 505LSD

Printing Date 05/06/2015

- · Advice for firefighters
- Protective equipment:

*Coveralls Respiratory protective device.* 

#### 6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation* 

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· Handling:

#### · Precautions for safe handling

Avoid prolonged or repeated contact with skin.

Avoid contact with eyes.

Wash thoroughly after handling.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Open containers in a well ventilated area and avoid breathing headspace vapors.

• *Information about protection against explosions and fires:* Store in cool dry area away from direct heat (60-90 degrees F).

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility: Store as flammable liquid.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

(Contd. of page 2)

acc. to OSHA HCS Revision Number 4

USA

Printing Date 05/06/2015

**Revision Number 4** 

Revision Date 05/06/2015

#### Part Number: 505LSD

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment (see listings below)
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.
- · Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Eye protection: Safety glasses with side shields.
- · Body protection: Protective work clothing

	sical and chemical properties	
General Information Appearance:		
Form:	Paste	
Color:	Light grey	
Odor:	Characteristic	
Odour threshold:	Not determined.	
Change in condition		
Melting point:	Undetermined.	
<b>Boiling point:</b>	127 °C (261 °F)	
Flash point:	13 °C (55 °F)	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Specific gravity:	1.170	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined	
Solubility in / Miscibility	with	
Water:	Insoluble	
Viscosity:		
Dynamic:	Not determined.	

Printing Date 05/06/2015

**Revision Number 4** 

Revision Date 05/06/2015

#### Part Number: 505LSD

		(Contd. of page 4)
Kinematic:	Not determined.	
• Solvent content: Organic solvents:	33.6 %	
Solids content: • Other information	66.4 % VOC: = 3.10 lb/gal OR 372 GRAMS/L Weight per gallon: = 9.23 LBS/GAL	

### **10 Stability and reactivity**

· Reactivity

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizers, acids, and bases.

· Hazardous decomposition products:

OXIDES OF CARBONS AND NITROGEN UNDER BURNING CONDITIONS.

#### **11** Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: At present there are no ecotoxicological assessments.

(Contd. on page 6)

USA

**Revision Number 4** 

Revision Date 05/06/2015

Part Number: 505LSD

Printing Date 05/06/2015

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN1133
· UN proper shipping name · DOT, IMDG, IATA · ADR	ADHESIVES 1133 ADHESIVES
· Transport hazard class(es)	
·DOT	
PLAIMABLE LOUD	
· Class	3 Flammable liquids
· Label	3
· Class	3 Flammable liquids
· Class · Label	3 Flammable liquids 3
	*
· Label · Packing group	3
· Label · Packing group · DOT, ADR, IMDG, IATA	3 III
· Label · Packing group · DOT, ADR, IMDG, IATA · Environmental hazards:	3 III Not applicable. Warning: Flammable liquids
<ul> <li>Label</li> <li>Packing group</li> <li>DOT, ADR, IMDG, IATA</li> <li>Environmental hazards:</li> <li>Special precautions for user</li> <li>Transport in bulk according to Annex Page 10</li> </ul>	3 III Not applicable. Warning: Flammable liquids II of

**Revision Number 4** 

Revision Date 05/06/2015

Part Number: 505LSD

Printing Date 05/06/2015

(Contd. of page 6)

· IMDG · Remarks:

Non regulated

· UN "Model Regulation":

UN1133, ADHESIVES, 3, III

### 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

#### · Proposition 65

· Chemicals known to cause cancer:

All ingredients are listed.

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

#### · Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

• Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **1**6

# 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Dicor Corporation makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Dicor Corporation or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· Department issuing SDS: Environment protection department.

(Contd. on page 8)

USA

Printing Date 05/06/2015

Revision Number 4

Revision Date 05/06/2015

#### Part Number: 505LSD

	(Contd. of page 7)
Creation Date: 07/31/2007	
Date of preparation / last revision 05/06/2015 / 3	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin d International Transport of Dangerous Goods by Rail)	e fer (Regulations Concerning the
CAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agree Carriage of Dangerous Goods by Road)	ment concerning the International
MDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
ATA: International Air Transport Association	
CGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
AS: Chemical Abstracts Service (division of the American Chemical Society)	
IFPA: National Fire Protection Association (USA)	
IMIS: Hazardous Materials Identification System (USA)	
Flam. Liq. 2: Flammable liquids, Hazard Category 2	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	