

CENTRAL VACUUM SYSTEM FOR RECREATIONAL VEHICLES

PRODUCT GUIDE





WHAT IS DIRT DEVIL® CV1500?

Cleaner, Healthier On-the-Road Living

• POWERFUL CLEANING PERFORMANCE

The powerful motor in the Dirt Devil[®] CV1500 delivers up to 5 times the power of uprights, so it:

- Cleans more deeply in less time
- Picks up objects most sweepers can't budge
- Easily removes pet hair from upholstery and carpets.

HEALTHIER LIVING

Dirt Devil[®] removes 100% of all vacuumed dirt, debris and allergens from your living space, traps them in a HEPA filter, and keeps them from recirculating back into the air you breathe – great news for allergy or asthma sufferers!

CONVENIENT & LIGHTWEIGHT

With a built-in system, there's no heavy equipment to lug around or store, just plug the hose into the inlet valve for fast and easy cleaning.

VERSATILE ACCESSORIES

Accessories are designed to clean all interior furnishings, surfaces, floorings and even intricate dashboards.

• HIGH-QUALITY PRODUCTS THAT ARE BACKED BY A 5-YEAR WARRANTY!

The Dirt Devil[®] CV1500 increases resale valve, improves indoor air quality, saves time and is backed by the industry's best warranty.

WHAT IS DIRT DEVIL® CV1500?

Dirt Devil[®] CV1500 Central Vacuum System

Our built-in central vacuum systems are designed to keep RV travel clean, comfortable and uncluttered. Combined with a space-saving

> cleaning tool kit that easily fits in a single drawer, Dirt Devil[®] Central Vacuums make the most of valuable cabin space while making it easy to clean every surface in your RV – all floorings, carpets, rugs, furniture, window treatments, cabinets, dashboards, and hard-to-reach areas.

> The Dirt Devil[®] CV1500, with HEPA bag filtration, eliminates 100% of all vacuumed dirt and debris from your living space, leaving your RV cleaner and healthier with no recirculation of dust and vacuum odors. This is great news for those suffering from allergies, asthma, or other breathing ailments. It's also more powerful, quieter, less bulky to store and lighter weight to use than a standard upright.

Dirt Devil[®] Central Vacuums help simplify on-the-road living, so you have more time to enjoy your traveling adventures and destinations!



Product Guide









MARKETING MATERIALS

DIRT DEVIL® CV1500 SELL SHEET

This full-color, 2-sided, 8.5" x 11" Sell Sheet shows and describes the popular features and benefits of Dirt Devil® CV1500 All-in-One Central Vacuum Cleaning System. Makes Dirt Devil® the obvious choice for a space-saving, powerful, convenient cleaning system.

Part #: RV-654-DD

Available in Packages of: 25

DIRT DEVIL® CV1500 TRIFOLD

This attractive and informative Trifold has space to personalize with your contact information. Can easily be mailed to your existing customers or fits perfectly in the literature holder on the Plexiglas display stand (below) for potential consumers.

Part #: IH-22

Available in Packages of: 25

DIRT DEVIL® CV1500 COUNTERTOP LITERATURE DISPLAY

This compact, informative Plexiglas Literature Display (14" L x 11" H x 3"D) can be placed most anywhere in your showroom or is easily transported to shows. Holds the Dirt Devil® trifold (above) so your customers have something to reference when making their buying decision.

Part #: 8403

Ships with Trifolds: 25

DIRT DEVIL® CV1500 COUNTERTOP PRODUCT DISPLAY

Now it's easy to put Dirt Devil® CV1500 Central Vacuum Cleaning System in front of your customers. This attractive, yet compact display (31" L x 19" H x 13" D) grabs customers' attention and shows the space-saving design of the powerful and versatile All-in-One Dirt Devil® Cleaning System. The trusted, household Dirt Devil® name, coupled with actually seeing the high-quality, lightweight convenience of the system seals the deal! Perfect to display in showrooms or at trade shows. Product not included.

Part #: 8400



Product Guide

POWER UNIT/INLET VALVE KITS

POWER UNIT WITH INLET VALVE KITS – CHOOSE FROM 7 KITS

All kits on this page include a Dirt Devil[®] CV1500 power unit, hardware, three

PRODUCT SPECIFICATIONS

Filtration: HEPA Filter Bag, 1 Gallon

Dimensions: 6.25" x 7" x 14.5"

HIGH-PERFORMANCE MOTOR

Features: Overload/Overheat Protector with Automatic Reset

Model: Dirt Devil[®] CV1500

Warranty: 5 years

Weight: 14 pounds



1-gallon replaceable HEPA filter bags, 6' low-voltage wire, owner's manual and a valve package (inlet valve with fitting and/or mounting plate – pictured at right).





POWER UNIT with STANDARD VALVE, MOUNTING PLATE #4865 and REDUCER #8735W

White: #9600-W	
lvory: #9600-I	
Brown: #9600-B	
Almond: #9600-A	

POWER UNIT with UNIVERSAL VALVE and ADAPTER #8729

White:	#9600-01-W
Almond:	#9600-01-A
Black:	#9600-01-BK

POWER UNIT with UNIVERSAL VALVE and MOUNTING PLATE #5568W

Whi	te:	#9600-04-W
Alm	ond:	#9600-04-A
Blac	ck:	#9600-04-BK



POWER UNIT with VEX-S VALVE and ADAPTER #8729

White:	#9600-02-W
Almond:	#9600-02-A
Black:	#9600-02-BK



POWER UNIT with R-VEX VALVE and ADAPTER #8729

White:	#9600-03-W
Almond:	#9600-03-A
Black:	#9600-03-BK

Voltage: 120 volts (AC)

Amperes: 11.7 Max Amps

CFM: 100

Air Watts: 501

Water Lift: 120"

Terms: Net 30 Days, All Prices: in U.S. Dollars Prepaid Freight: on 100+ Quantity Minimum Order: \$50.00 FOB: North Canton, Ohio Prices subject to change without notice.



Product Guide



STANDARD MAXUMIZER KIT

includes 7' hose (expands to 35'), 1-piece adjustable wand, combo rug/floor tool, crevice nozzle, upholstery tool and dusting brush

Part #: 7794-BK

DELUXE MAXUMIZER KIT



includes 7' hose (expands to 35'), 1-piece adjustable wand, combo rug/floor tool, crevice nozzle, upholstery tool, dusting brush, mesh bag caddy and RugRat turbine handheld brush







Part #: 9092-35

COMBO RUG/FLOOR TOOL

Part #: 9090-B

DUSTING BRUSH

Part #: 1142-B

CREVICE TOOL

Part #: 1141-B

RUGRAT HANDHELD BRUSH

Part #: 6972-BG

BLACK ADJUSTABLE WAND

Part #: 9091-B

UPHOLSTERY TOOL


Part #: 7029-B

HEPA FILTER BAGS, 3-PACK for CV1500 / CV950 / RV2000

Part #: 9597

19-1 BAG, 3-PACK for original Small Wonder unit Part #: 4908





KITS, ACCESSORIES and VALVES

	UNIVERS
- 10	Semi-
5-1	use w
C III	Whi

Semi-autor	NLET VALVES natic valves activate when hose inserted - i68W Mounting Plate or 5568W Adapter
White:	#5590W-NL

Fully-automatic inlet valves activate when valve

lid is lifted - use with 4865 Mounting Plate

Almond: #5590A-NL

Black: #5590BK-NL



R-VEX UNIVERSAL INLET VALVES, RECTANGULAR DOOR

White: #8480W Almond: #8480A Black: #8480BK

VEX-S UNIVERSAL INLET VALVES, SQUARE DOOR

White:	#8481W
Almond:	#8481A
Black:	#8481BK



with 5501W TY White: #5586W

VACPAN AUTOMATIC DUSTPAN

Usually mounted in toe-kick of cabinets -5506W Elbow attaches to top of VacPan

White:	#7710W	
Almond:	#7710A	
Black:	#7710B	

STAINLESS STEEL VACPAN FACE PLATE Metal face plate cover only - simply attaches to VacPan front – best with 7710B

Part #: 8583





Product Guide

	FITTINGS, COMPONENTS, TUBING	
	MOUNTING PLATE Use with 5531W Reducer Part #: 4865	
	MOUNTING PLATE & PLASTER GUARD Use with 5506W Elbow Part #: 5568W	6
	VEX UNIVERSAL MOUNTING PLATE Use with 8480 or 8481 Valves Part #: 8482	C
0	INLET REDUCER Use with 4865 Mounting Plate Part #: 5531W	0
	REDUCER Part #: 8735W	
Ç	90° ADAPTER Use with 4865 Mounting Plate Part #: 7046W	
Ø	90° SHORT ADAPTER ELBOW Use with VacPan Part #: 5506W	
2	90° LONG ELBOW Part #: 5510W	
1	90° LONG STREET ELBOW Part #: 5511W	
	45° ELBOW Part #: 5517W	C
	45° STREET ELBOW Part #: 5518W	C
	45° Y Part #: 5525	
	90° TY Use with 5586W Utility Valve or multiple	

3-WAY 90° ELBOW Part #: 5515W **3-WAY MANIFOLD** Part #: 8727 **SPIGOT FITTING** Joins fittings, exterior stop Part #: 5527W **SLIP COUPLING** Joins tubing, no interior stop Part #: 5528W **STOP COUPLING** Joins fittings, interior stop Part #: 5529W **ADAPTER** Use with Universal inlet valves Part #: 9459 (previously 8729) VALVE STEM EXTENSION, 4 ³/₄" Use with walls over 1-inch thick Part #: 5018W 2" PVC TUBING 8' lengths; ships in 80' bundles or 3200' skid Part #: 5506W **2" TUBING SUPPORT STRAP** Part #: 5545W QUICK CLIP Low-voltage wire holder Part #: 5544W **2" PIPE COLLAR** Part #: 5549W 2" TUBE CAP Part #: 5547W **2" PVC TUBE CUTTER** Part #: 4500 Replacement Blades for 4500

Part #: 4501 (5-Pack)













inlet valves

Part #: 5501W

© Copyright 2012 H-P Products. Duplication prohibited without permission.



Product Guide

ACCESSORIES and INSTALLATION ITEMS



WIR	RE HOSE RACK	
	Part #: 6524-G	

VINYL BAG CADDY



Compatible with 6524-G; Size: 15" x 20-%"
Part #: 7824-NL



MES	MESH BAG CADDY	
	Size: 12" x 14"	
	Part #: 6481	



CLIP-ON TOOL CADDY	
	Fits on 2-piece wand set and holds 3 tools
	Part #: 7724-G

WIRE NO. 18-2 100' (30.5m) Hank Part #: 5039W



WIRE NO. 18-2	
500' (152.4m) Reel	
Part #: 2870W	



ADH	ADHESIVE	
	1/4 Pint (.12 liter)	
	Part #: 5038	



DEB	SURRING TOOL For 2" PVC Tubing
	Part #: 6787



VACUUM GUAGE Up to 160 lbs. Part #: 1247



- 45° Y TESTING FIXTURE %" Orifice Part #: 4448
- 10' RAW 1-¼" ULTRALITE HOSE Part #: 6452-06

29' RAW 1-¼" ULTRALITE HOSE Part #: 6452-05

60' RAW 1-¼" ULTRALITE HOSE Part #: 6452-13




FLEX CONNECTOR KIT (2 SPIGOT FITTINGS, 2 HOSE ADAPTERS)


To be used with raw hose Part #: 7477-G

The picture and illustration (below) show installation using two hose adapters and only one spigot fitting from the Flex Kit (above).






CV1500 REPLACEMENT PARTS




INSTALLATION

Quick and Easy Installation


The compact (6.25" x 7" x 14.5"), lightweight (14 pounds), 120-volt CV1500 power unit is quick and easy to install in a space as small as $10" \times 20"$ – perfect for installing under seats, inside closets or in storage compartments. Using the mounting brackets already attached to either side of the power unit, the CV1500 can be top or bottom mounted, and installed horizontally or vertically. The power unit and inlet valve can also be installed up to five feet apart using an optional Flex Connector Kit.



Sample Layouts Using 3-Way Manifold (#8727)



INSTALLATION



ADDITIONAL ACCESSORIES:

5149 - WIRE NUTS 5038 - PVC SOLVENT 5148-6 - #18-2 SOLID CONDUCTOR WIRE (6 FT) 5148-14 - #18-2 SOLID CONDUCTOR WIRE (14FT) 5139W - #18-2 SOLID CONDUCTOR WIRE (100 FT) SPOOL 5018W - VALVE STEM EXTENSION USED FOR THICK WALLS 5510W - 90° ELBOW (NOT STREET)

NOTES:

- 1) This illustration shows a typical installation. Many different mounting configurations can be achieved by using these standard components.
- 2) Rigid PVC tubing (#6928W) may be used in place of flexible hose (6452-06, -05, -13) and the flex kit (#7477-G).



ALL-IN-ONE CENTRAL VACUUM SYSTEM

FOR RECREATIONAL VEHICLES



PRODUCT GUIDE

Healthier, More Powerful Cleaning for On-The-Go Lifestyles